



VETERINARY PRODUCTS LABORATORIES

301 W. OSBORN, PHOENIX, AZ, 85013

Telephone: 888-241-9545

Toll-Free: 888-241-9545

Order Desk: 888-241-9545

Fax: 800-215-5875

Website: <u>www.vpl.com</u>

Email: <u>info@vpl.com</u>

DURALACTIN® EQUINE JOINT PLUS

V.P.L.

For Long Term Management of Chronic Inflammatory Conditions in Horses

Supports Joint Health and Function

FOR ALL CLASSES OF HORSES

Product Facts

Active Ingredient per level scoop (1 ounce):

MicroLactin® (dried milk protein)	7000 mg
Glucosamine HCl (marine source)	900 mg
Chondroitin sulfate (marine source)	300 mg
Vitamin C (ascorbic acid)	50 mg
Zinc	15 mg
Manganese	8 mg

Inactive Ingredients:

Butter flavor, corn oil, dried whey, soybean flour, steamed rolled oats.

Cautions:

Consult with your veterinarian before using this product in animals: with clotting disorders; being treated with anticoagulant medications; diabetes, or any metabolic disorder causing hyperglycemia; history of urinary tract stones; known allergies to shellfish.

If lameness worsens, discontinue use and contact your veterinarian.

Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

Recommended for long term management of chronic inflammatory conditions.

DURALACTIN® *Equine Joint Plus* contains MicroLactin®, a patented dried milk protein concentrate derived from hyperimmunized cows that contains factors that appear to block cytokines and inhibit neutrophil participation in the inflammatory response.*

DURALACTIN[®] Equine Joint Plus also contains Glucosamine HCl and Chondroitin sulfate to support joint health and function.

*Data on file

Directions for Use:

Feed 2 level scoops once a day or 1 level scoop twice a day. Each level scoop holds at least 28 grams total weight. One bucket contains a minimum of 56 level scoops.

Store in a cool, dry place. Slight discoloration may result if product is stored in excessive heat (> 40° C) over time. This color change does not affect the quality or palatability of the product.

Warnings:

For use in horses only.

Keep out of the reach of other animals and children. In case of accidental overdose, contact a health professional immediately.

This product should not be given to animals intended for human consumption.

Manufactured for: Veterinary Products Laboratories, P.O. Box 34820, Phoenix, AZ 85067-4820

www.vpl.com

Call with questions or comments: 1-888-241-9545

MicroLactin is a registered trademark of Stolle Milk Biologics, Inc. (SMBI)

(U.S. patent #s 5,242,691; 5,352,462; 5,650,175; 5,980,953)

©2003, 2004, 2006, 2007, 2008 Veterinary Products Laboratories

Net Weight:	Product Code:	RM#:	
3.75 lbs (1702 g)	3005575	300500964, 300500975	07-2570

NAC No.: 11430811