

PFIZER INC.

PFIZER ANIMAL HEALTH

235 E. 42ND ST., NEW YORK, NY, 10017

Telephone: 269-833-4000

Customer Service: 800-733-5500 and 800-793-0596

Veterinary Medical Investigations & Product Support: 800-366-5288

Technical Services (USA): 800-366-5288

Website: <http://pfizerah.com>

FLUVAC INNOVATOR® 6

Pfizer Animal Health

Encephalomyelitis-Rhinopneumonitis-Influenza Vaccine

Eastern & Western & Venezuelan, Killed Virus

Tetanus Toxoid

INDICATIONS: For vaccination of healthy horses as an aid in the prevention of equine encephalomyelitis due to Eastern, Western and Venezuelan viruses, equine rhinopneumonitis due to type 1 and 4 viruses, equine influenza due to type A₂ viruses, and tetanus.

DOSAGE AND ADMINISTRATION: Horses, inject one 1 mL dose intramuscularly using aseptic technique. Administer a second 1 mL dose 3 to 4 weeks after the first dose. A 1 mL booster dose should be given annually. Early revaccination may be advisable when horses are faced with an outbreak or with other conditions which might make heavy exposure likely.

CAUTION: Store in the dark at 2° to 7°C (35° to 45°F). AVOID FREEZING. SHAKE WELL. Use entire contents when first opened. In some instances, transient local reactions may occur at the injection site. Do not vaccinate within 21 days before slaughter. In case of anaphylactoid reaction, administer epinephrine.

Thimerosal, neomycin and polymyxin B added as preservatives.

For Veterinary Use Only

Remove serial number and expiration date label and place on the animal's medical chart.

Pfizer Animal Health, Exton, PA 19341, USA

Div. of Pfizer Inc, NY, NY 10017

U.S. Vet. License No. 189

1 mL	1 Dose	7991P 12112000
10 mL	10 Doses	7991P 12112000

NAC No.: 36902870